

## BATH, BATHS, FREE-STANDING BATHS THEANO

### PRODUCT INFORMATION

#### 1 . POSITION



Model	UBQ155ANH7F200V
Width	750 mm
Depth	480 mm
Length	1550 mm
Weight	50 kg
Description	<p>Solo</p> <p>Litres incl. 1 pers: 250</p> <p>Technical information: Please note: In accordance with DIN 1986-100, a floor drain is required to protect the building against flooding, if a bath is installed without an overflow. No floor drain is required if ViFlow is used, The delivery time for baths in the colour RW is 4 weeks (made-to-order products)</p> <p>Not included in scope of delivery: Push-to-Open valve without overflow function (Chrome and White) and ViFlow, For baths in the colours Star White (96) and Stone White (RW) we recommend selecting the chrome-plated Push-to-Open valve or ViFlow. Diameter: 52 mm</p>
Material	Quaryl®
Specification texts	<p>Theano; Bath; Size: 1550 x 750 mm; Free-standing; Solo; Quaryl®; Litres incl. 1 pers: 250; Not included in scope of delivery: Push-to-Open valve without overflow function (Chrome and White) and ViFlow, For baths in the colours Star White (96) and Stone White (RW) we recommend selecting the chrome-plated Push-to-Open valve or ViFlow.; Diameter: 52 mm;</p> <p>Technical information: Please note: In accordance with DIN 1986-100, a floor drain is required to protect the building against flooding, if a bath is installed without an overflow. No floor drain is required if ViFlow is used, The delivery time for baths in the colour RW is 4 weeks (made-to-order products)</p>

### COLOURS

White Alpin	UBQ155ANH7F200V-01	4051202733605
Star White	UBQ155ANH7F200V-96	4051202733681



UBQ155ANH7F200V

